# Supply, Installation & Commissioning of Physics And Chemistry Laboratory Equipment and Supply Of Consumables



Tender No: IMUV/2024/2019-2020/Laboratories/007 Dated 25-02-2020

INDIAN MARITIME UNIVERSITY
(A Central University, Govt. of India)
VISAKHAPATNAM CAMPUS
VANGALI, TEKKALIPALEM (PO)
NEAR RAYAVARAPU AGRAHARAM
SABBAVARAM MANDAL
VISAKHAPATNAM-531035

Website: www.imu.edu.in www.imuv.edu.in

INDEX			
Section /	Dortioulore	Page	
Annexure	Particulars	Nos.	
Section-1	Notice Inviting Tender	01-03	
Section-2	Definitions	04-06	
Section-3	General Conditions and Directions for the Guidance of Tenderer	07-12	
Section-4	Special Conditions of Tender and Supply	12	
Section-5	Other General Conditions	14	
Section-6	Schedule of Requirements	16	
6.1	Scope	16	
Technical Specifications of Equipment and Bill of Materials		16-21	
6.3 Inspection, Installation & Commissioning and Acceptance of the Laboratory Equipment		21	
-	TECHNICAL BID FORMAT	22-24	
Details of Agreements/Work orders in respect of supply of Physics and Chemistry Laboratory Equipment in Engineering Educational Institutes (Colleges/ Universities) in India during the Financial Years 2016-17, 2017-18 and 2018-19		25	
Details of Satisfactory Performance Certificates from the Engineering Educational Institutes (Colleges / Universities) in India where Physics and Chemistry Laboratory Equipment has been supplied during the Financial Years 2016-2017, 2018-2018 and 2018-2019		26	
Annexure-3 Format of Undertaking Regarding Blacklisting / Non-Debarment		27	
Annexure-4	PRICE BID FORMAT	28-36	

# SECTION 1 NOTICE INVITING TENDER

- 1.1 Indian Maritime University, Visakhapatnam Campus invites sealed Tenders under Two bid system for "Supply, Installation & Commissioning of Physics and Chemistry Laboratory Equipment and Supply of Consumables".
- 1.2 Tenderers are advised to study the Tender Document (including all Sections, Schedules and Annexures etc.,) carefully. Submission of Tender shall deem to have been done after careful study and examination of the Tender Document with full understanding of its implications.
- 1.3 Sealed tender prepared in accordance with the conditions enumerated in <a href="Section-3">Section-3</a> should be submitted to the Campus Director, Indian Maritime University, Visakhapatnam Campus, Vangali Village, Tekkalipalem (PO), Near Rayavarapu Agraharam, Sabbavaram (MD), Visakhapatnam-531035, Andhra Pradesh, not later than the date and time mentioned, at the address given in this section.
- 1.4 The detailed Tender Document can be downloaded from IMU website www.imu.edu.in / www.imuv.edu.in.
- 1.5 All Tender must be accompanied by Earnest Money Deposit (EMD) of Rs.1,45,000-00 (Rupees One Lakh Forty Five Thousand only) through Demand Draft drawn on any Nationalized / Scheduled Bank favoring Indian Maritime University, Visakhapatnam Campus payable at Visakhapatnam.
- 1.6 This Tender Document is not transferable.
- 1.7 Schedule for Invitation to Tender
  - a) Name of the Purchaser

Campus Director
Indian Maritime University
Visakhapatnam Campus
Vangali (V), Tekkalipalem (P)
Near Rayavarapu Agraharam, Sabbavaram (M)
<u>Visakhapatnam-531035</u>
Andhra Pradesh

# Tender for Supply, Installation & Commissioning of Physics and Chemistry Laboratory Equipment and supply of Consumables

Tender No. IMUV/2024/2019-2020/Laboratories/007 Dated 25th February 2020

b) <u>Location where the Laboratory Equipment to be supplied,</u> Installed and Commissioned and Supply of Consumables

Indian Maritime University Visakhapatnam Campus Vangali (V), Tekkalipalem (P) Near Rayavarapu Agraharam Sabbavaram (M) <u>Visakhapatnam-531035</u> Andhra Pradesh

c) Place of issue of Tender Enquiry Document and address at which the Tender Documents are to be submitted

Indian Maritime University Visakhapatnam Campus Vangali (V), Tekkalipalem (P) Near Rayavarapu Agraharam Sabbavaram (M) <u>Visakhapatnam-531035</u> Andhra Pradesh

d) <u>Date from which the Tender Document issued</u>

From 25-02-2020 onwards (only on working days)

e) <u>Last Date for submission of the Tender Document both Technical and Financial –</u>

On or before 11:00 Hrs. on 11-03-2020

f) Date of opening of Tender Document (Technical) -

At 11:30 Hrs. on 11-03-2020

- 1.8 Date of opening of Tender Document (Financial) shall be intimated to the technically qualified tenderers by email.
- 1.9 The Tender Enquiry shall be valid for 90 days from the date of opening of the Technical bid.

- 1.10 The successful Tenderer shall complete the Supply, Installation and Commissioning of Physics and Chemistry Laboratory Equipment and supply of consumables within three (3) Weeks from the date of placement of Firm Order.
- 1.11 Clarifications on the specifications, tender conditions etc., if any, may be sent to <a href="mailto:kvkramakrishnapatnaik@imu.ac.in">kvkramakrishnapatnaik@imu.ac.in</a> and will be clarified till 3:00 PM of 07-03-2020. Any queries thereafter will not be entertained.

# SECTION 2 DEFINITIONS

- 2.1 <u>Tenderer</u>: Refers to the Person or the Firm or the Company submitting the tender.
- 2.2 <u>Vendor:</u> Refers to the person or the firm or the Company with whom the order for the Supply, Installation and Commissioning of the Equipment is placed and shall be deemed to include the Vendor's successors, their representatives (approved by the Purchaser), heirs, executors, administrators and permitted assigns, as the case may be, unless excluded by the terms of the Contract. Also referred to as the successful Tenderer.
- 2.3. Purchaser: Refers to IMU, Visakhapatnam Campus
- 2.4. The <u>Consignee</u> of all the items shall be IMU, Visakhapatnam Campus
- 2.5. <u>IMUV</u>: Refers to Indian Maritime University, Visakhapatnam Campus.
- 2.6. Goods: Refers to all equipment, other accessories, which the successful Tenderer is required to supply to IMU, Visakhapatnam Campus under the Contract as indicated in this Tender. The delivery location shall be IMUV unless otherwise specified.
- 2.7 <u>Services:</u> Refers to various Services indicated in this Tender and shall include services ancillary to the supply of the Goods, transportation, insurance and any other incidental services, such as installation, warranty, maintenance for Three years. Service as specified in this tender including the provision of technical assistance for integration of the supplied items and training and any other such obligations of the Tenderer as covered under the tender.
- 2.8 <u>Items</u>: Refers to all Goods and Services indicated in this Tender and shall include all accessories which are essential to meet the requirements specified.
- 2.9 <u>Start Date</u>: Refers the date on which the order is placed on the successful tenderer.
- 2.10 <u>Acceptance/Completion Date</u>: Refers to the date on which all the items as specified in the tender are Supplied, Installed & Commissioned and acceptance of the Equipment by IMUV and supply of Consumables.

### SECTION - 3

# GENERAL CONDITIONS AND DIRECTIONS FOR THE GUIDANCE OF TENDERER

- 3.1 Tenders in sealed cover should be submitted as per the 'Schedule of Requirements' as indicated in Section-6 in this tender and in accordance with instructions to Tenderers i.e. as per general conditions and directions for the guidance of Tenderer. The bid have to be given page numbers (both sides, wherever applicable) and submitted in thick bound file to Campus Director, Indian Maritime University, Visakhapatnam Campus, Visakhapatnam Vangali Village, Tekkalipalem (PO), Near Rayavarapu Agraharam, Sabbavaram (MD), Visakhapatnam-531035, Andhra Pradesh.
- 3.2 Tender must be submitted in one sealed main cover containing Cover-1 and Cover-2 separately and the main cover shall be super scribed as for "Supply, Installation & Commissioning Physics and Chemistry Laboratory Equipment and supply of consumables". All the covers shall be addressed to the Campus Director, Indian Maritime University, Visakhapatnam Campus, Visakhapatnam Vangali Village, Tekkalipalem (PO), Near Rayavarapu Agraharam, Sabbavaram (MD), Visakhapatnam-531035, Andhra Pradesh. Name and address of the Tenderer shall also be written on all covers.
- 3.3 The Tenderer shall clearly write on Cover-1 as Technical Bid & Cover-2 as Price Bid and shall super scribe "Supply, Installation & Commissioning Physics and Chemistry Laboratory Equipment and supply of consumables" on the two covers.
- 3.4 The tender shall be submitted in bound form and not in loose sheets.
- 3.5 On the date of opening of technical bid, only the Main Cover and Cover-1 (Technical Bid) alone will be opened. Cover-2 (Price Bid) of various Tenderers will be put in a sealed cover in the presence of the Tenderers or their authorized representatives, who are present on the date of opening of Technical bid. Eligible tenderers should send letter of authorization with attested specimen signatures of their representatives deputed to attend at the time of opening of Tender. Representatives without such authorization not permitted to be present to witness the opening of either technical or financial bid as the case may be the bid.

Tender No. IMUV/2024/2019-2020/Laboratories/007 Dated 25th February 2020

- 3.6 The Tenderer shall offer and quote for all items indicated in the Tender. Tender responses that do not cover all items shall be summarily rejected.
- 3.7 The Tenderer should enclose in the technical bid, full details of the items offered with full documentation, descriptive literature/leaflets supplementing the description to meet the specification as indicated in the tender. Models and Brands offered shall be clearly indicated including all accessories. All documentation required is to be in English Language. The Tenderer shall clearly indicate OEM part/identification numbers for all the equipment and services supplied inclusive of warranty in technical bid.
- 3.8 The Tender should be complete in all respects and if the Tender is incomplete the same may be rejected.
- 3.9 The Tenderer shall sign and affix stamp on all pages of the tender documents and a person, holding a power of attorney authorizing him to do so, shall make such signature. The letter of authorization is to be enclosed along with the covering letter of the technical and price bids.
- 3.10 The Tenderer shall offer the items specified in the Tender document, as the sole agency.

#### 3.11 Amendment to Tender Document

- 3.11.1 At any time prior to the last date for receipt of the bids, IMUV, may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective Tenderer, modify the Tender Document by an amendment.
- 3.11.2 The amendment will be notified in the website of IMUV instead of sending the same by post or other modes of dispatch.
- 3.11.3 In order to afford prospective Tenderers, reasonable time in which to take the amendment into account in preparing their bids, IMU may or at its own discretion, extend the last date for receipt of bids.
- 3.12 The amount of Earnest Money Deposit is Rs.1,45,000-00 (Rupees One Lakh Forty Five Thousand only) and shall deposit in the form of Demand Draft drawn on any Nationalized / Scheduled Bank in favour of Indian Maritime University, Visakhapatnam Campus payable at Visakhapatnam. The Demand Draft should be enclosed to the Technical Bid and should not be sent separately.

- 3.13 The Earnest Money deposited by the unsuccessful Tenderer will be refunded without any interest on placement of Order on the successful Tenderer. The EMD of the successful Tenderer will be converted as Security Deposit and the balance amount of Security Deposit shall be recovered from the final amounts released to successful bidders.
- 3.14 The prices quoted should be on Indian Rupee basis and should include the base price (inclusive of freight, forwarding, Insurance coverage till acceptance and delivery at IMUV), installation, commissioning along with applicable taxes and duties. The taxes and duties, if any, shall be indicated clearly in the Tender and the same shall be taken into account to arrive at the total price for delivery at IMUV. IMUV does not bind itself to accept claims for extra payment for items not included in the Tender. Any revision in Statutory levies during the period between placement of Order and successful testing of the equipment would be paid by IMUV on receiving documentary evidence for such revisions against the information furnished in the Tender.
- 3.15 The Tenderer shall abide by the specifications and terms and conditions as mentioned in this tender.
- 3.16 EMD of the Tenderer would be forfeited if
  - a) The tenderer is not willing to abide by the terms of conditions after submission of tender.
  - b) The tenderer does not honour the clarifications provided to IMUV.
  - c) Withdraws or amends or impairs or derogates from the tender in any respect within the period of validity of its tender before receipt of final acceptance.
  - d) Fails to submit Bank Guarantee as indicated in this tender within the stipulated time. (This is applicable to tenderer whose tender has been accepted)
- 3.17 Eligibility Criteria for Tenderers
  - (a) The tenderer should have supplied at least one set of Physics and Chemistry Laboratory Equipment to any Engineering Educational Institutes in India (Colleges / Universities) in the last three years (2016-2017, 2017-2018 and 2018-2019) valuing Rs.10.00 Lakhs.

- (b) The agency should have minimum Annual Turnover of Rs.15.00 lakhs during the last Financial Years i.e. 2016-17, 2017-18, and 2018-19.
- (c) The Tender should have Work orders worth Rs.30.00 Lakhs (Rupees Fifty lakhs) together during the last three Financial Years i.e. 2016-17, 2017-18, and 2018-19
- 3.18 The tenderers should enclose copies of the following documents or otherwise the tender will be summarily rejected.
  - a) Certificate of Registration / Incorporation
  - b) Permanent Account Number issued by the Income Tax Authorities
  - c) Registration Certificate under GST Law
  - d) Agreements / Work orders in respect of supply of Physics and Chemistry Laboratory Equipment in Engineering Educational Institutes (Colleges / Universities) in India during the Financial years 2016-2017, 2017-2018 and 2018-2019
  - e) Satisfactory Performance Certificates from the Engineering Educational Institutes (Colleges / Universities) in India where Physics and Chemistry Laboratory Equipment has been supplied during the Financial Years 2016-2017, 2018-2018 and 2018-2019
  - f) Audited Balance Sheet and Profit and Loss Account for the years 2016-2017, 2017-2018 and 2018-2019
  - g) Income Tax Returns for the Financial Years 2016-2017 (AY 2017-2018), 2017-2018 (AY 2018-2019) and 2018-2019 (AY 2019-2020)
  - h) Undertaking on letter head of the tenderer stating that it has not been blacklisted by any Central Government Department/ Ministry/PSU/ Statement Government etc.
- 3.19 The Specifications of equipment to be supplied refer to the minimum requirements that the Tenderer is required to meet. Tenders in non-compliance of the minimum specifications would be summarily rejected. The tenderer is required to quote for any accessories etc., which are required to make the Equipment fully operational and functional.
- 3.20 Only detailed complete offers received prior to closing time and date of the Tenders will be taken as valid.
- 3.21 Offers received through Telegraphic/Fax/E-Mail will be treated as defective, invalid and rejected.

- 3.22 Tenders will be opened on the day and time as indicated in this document. Eligible Tenderers as above should send letter of authorization with attested specimen signatures of their representatives who are deputed to attend at the time of opening of Tenders. Representative without such authorization letters may not be permitted to be present to witness the opening. (Only one person is authorized to attend on behalf of each Tenderer for Bid Opening).
- 3.23 The financial bids will be evaluated and successful bidder will be notified based on the lowest quoted tender among the bidders whose bids are technically qualified and opened. The L-1 will be decided based on the lowest quoted rate considering the equipment and consumables.
- 3.24 Placement of Order
- 3.24.1 After evaluation and finalization of bids received, IMUV would place the Order on the successful Tenderer. The tender will be awarded to the tenderer who is technically qualified and whose quoted value is lesser than other tenderers.
- 3.24.2 The date on which firm order is placed on the successful tenderer would be treated as the start date.
- 3.24.3 IMU reserves right to modify the terms and conditions to the Order, so as to meet contingency situations, which can arise from time to time. Such modifications would be discussed and agreed upon by the successful Tenderer taking into consideration the cost, time and other implications. After finalization of modification, the Order may be suitably amended, if required.
- 3.24.4 IMU reserves right to change quantities or withdraw some of the items from bill of materials before issuing the order.
- 3.25 Terms of Payment
  - (a) 90% of the Order Value shall be released against Receipt, Installation & Commissioning of the Laboratory Equipment and supply of Consumables.
  - (b) Balance 10% of the Order will be retained towards Security Deposit (after the adjustment of EMD converted as Security Deposit) which shall be release 60 days beyond the date of completion of all the obligations of the supplier, including warranty obligations.

### SECTION - 4

### SPECIAL CONDITIONS OF TENDER

- 4.1 Successful Tenderer shall be responsible for the insurance, safe delivery and installation of the goods at IMUV. The successful Tenderer is responsible for all the supplies of goods and services till the acceptance date after which the ownership is transferred to IMUV.
- 4.2 In the event of the placement of the Order, the consignment shall be booked in the name of Indian Maritime University, Visakhapatnam Campus, Visakhapatnam Vangali Village, Tekkalipalem (PO), Near Rayavarapu Agraharam, Sabbavaram (MD), Visakhapatnam-531035, Andhra Pradesh. Any demurrage charges that may become payable on account of the successful Tenderers failure to consign the materials duly, shall be to the successful Tenderer Account. The transportation charges of the item i.e., up to the delivery venue shall be borne by the successful tenderer.
- 4.3 The time of delivery is important and must be clearly stated in the Tender and strictly adhered to in the event of a tender being awarded. The delivery time would commence from the start date.
- 4.4 In case of delay in the supply, IMUV shall issue to the successful Tenderer; a memo in writing, pointing out the delay in the supply and calling upon the successful Tenderer to explain the cause for the delay within <u>3 days</u> of the receipt of the memo.
- 4.5 If IMU is not satisfied with the explanation offered, the successful Tenderers security deposit may be forfeited and or IMU may withhold payment of pending bills in whole or in part. If the security deposit or any part thereof is forfeited by an order of IMU and such order becomes final, the successful Tenderer shall make good the security deposit or part of such deposit so forfeited within a fortnight thereafter.
- 4.6 If the successful tenderer fails to execute the Supply, Installation and Commissioning in all respects within the period specified or within such extended period as may be allowed, an amount equivalent to 0.5% of the value of the total tender price per week (Seven days) or part thereof subject to a maximum

# Tender for Supply, Installation & Commissioning of Physics and Chemistry Laboratory Equipment and supply of Consumables

Tender No. IMUV/2024/2019-2020/Laboratories/007 Dated 25th February 2020

limit of 10% of the value, as liquidated and ascertained damages shall be recovered from the payments due.

- 4.7 The supply shall be subject to inspection by IMU and IMU's decision as to the acceptance or rejection of any goods as not conforming to specification, shall be final and binding on the successful tenderer. Such of the goods which are rejected shall be removed by the successful tenderer their own expense and replaced by fresh ones within the time frame decided by IMU.
- 4.8 It must be clearly understood that the prices quoted in the tender are to include everything required to be done as per the specification and the conditions of tender and supply for the proper execution of supply although special mention thereof may have been omitted in the specification. The specifications indicated are for minimum and shall include accessories etc., required to make the system fully operational.
- 4.9 The successful tenderer shall agree to supply the additional quantities for the same price and comprehensive warranty in the event the purchaser places a repeat order for some of the items within next Six months.

### SECTION - 5

### OTHER GENERAL CONDITIONS

- 5.1 The Laboratory Equipment and Consumables to be supplied by the tenderer shall be of the quality or sort specified and in every respect equal and answerable to the specifications sent with the tender and shall be subject to the approval of the IMUV.
- 5.2 The Laboratory Equipment and Consumables is to be delivered at specified place in IMU premises in Visakhapatnam, free of delivery charges as per specified time.
- 5.3 Delivery of Laboratory Equipment and Consumables will not be considered complete until such Equipment has been inspected and passed at the place specified for delivery by IMUV. The detailed list of components supplied by the tenderer and Bill of Materials shall be provided well in advance for facilitating inspection by IMUV.
- 5.4 Rejected Laboratory Equipment and Consumables shall be removed by and at the expenses of the tenderer within seven days after notice. If not so taken away, the IMUV may seize the goods or materials to be removed and charge the tenderer with all expenses incurred in such removal.
- 5.5 The tender or any part share or interest in it shall not be transferred directly or indirectly to any person whomsoever without the written consent of IMU.
- 5.6 It shall be lawful for IMUV, without giving any notice to the successful tenderer, to purchase in the open market any Equipment and consumables covered by the tender and if such Equipment and Consumables are not available to purchase suitable substitute, as to which, the decision of the IMUV shall be final and binding on the bidder, in the event of the bidder;
  - (a) Having delivered Laboratory Equipment and consumables not of the contracted quality.
  - (b) Having failed to supply the Laboratory Equipment and consumables within the time specified.
  - (c) Having refused or being unable to supply the Laboratory Equipment and Consumables covered by tender either in whole or in part.

The charges incurred in this regard shall be borne by the successful tenderer.

The expenses incurred by IMUV in this regard shall be borne by the successful tenderer.

- 5.7 Any notice to the successful tenderer shall deemed to be sufficiently served, if given or left in writing at his usual or latest known place of abode or business or even by mail or any such authorized mode of communication as deemed fit by IMUV.
- 5.8 In these conditions unless there is something in the subject or context inconsistent there with words importing the singular shall include the plural and vice-versa words importing the masculine gender shall include the feminine and the words importing persons shall include bodies corporate.

# SECTION - 6

## SCHEDULE OF REQUIREMENTS

- 6.1 Scope
- 6.1.1 This specification covers the requirements regarding Supply, Installation and Commissioning of the Laboratory Equipment and supply of Consumables.
- 6.1.2 The Tenderer shall be responsible for supplying all equipment and properly installing them as described in this specification. Other details and requirements which are not covered under this specification, but may be necessary to complete the work and/or to fulfill the operation/performance requirement shall be provided by the vendor, who will be responsible for the construction of the complete appliance to the full satisfaction of the owner
- 6.2 Technical Specifications of Equipment and Bill of Materials

### 6.2.1 Physics Laboratory Equipment

SI. No	Name of the Equipment and Technical Specifications	Quantity Nos.
1	Torsianal Dandulum Digidity Madulus	INOS.
I	Torsional Pendulum Rigidity Modulus  Torsional pendulum with Stand, wire and Assessories	
	Torsional pendulum with Stand, wire and Accessories	
	Stop Watch: Standard Analog Screw Gauge: 50 – 75 mm	4
	Vernier Caliper: 12 Inches	4
	Metric Ruler SS scale: 1 meter	
2		
	Normal mode of Coupled Oscillators Coupling springs, Screen on stand etc.: Pendulum length: 1	
	m	
	Spring length: 21 cm	
	Dia: 30mm	
	Constant: 2.5N/m	
	Weights (4): 500g	
	Power supply: o/p: 12v,5v/500mA	
	Detector: Magnetic field sensor	
	PC interface: RS232	
	Data acquisition unit: LCD display least count: 1 sec	
	Stop Watch - Standard Analog	
3	Measurement of Velocity of acoustic waves	
	Resonance tube - Standard size, Tuning fork: 450Hz,	
	Rubber Mallets,	
	Thermometer: Mercury 110 c,	4

Mewton's Rings Newton's Ring Assembly: Minimum Division of reading drum - 0.01mm, Sodium Lamp: Working distance-76mm Beam Splitter: View field -10mm Focusing Knob: Measurement of accuracy 0.01mm, Retard stand: Radius of curvature R=100cm, Beam Splitter  Rotation of an optically active source Polari meter: Measuring range of optical rotation: +/- 180 Division Value: 1° Least count: 0.05° Magnifying factor of the magnifying glass: 4 times Monochromatic light source: 5893A° Power line voltage: 220V, 50 Hz Working current: 1.3A Discharging power: 20W Stabilization time: 5 minutes (approx.) A balance: Weighing Balance Measuring Cylinder: 50 ML Beaker: 100 ML Source of Light and Polari meter tube Sodium Vapor lamp: 30W  6 Diffraction with laser Gratings: 100 mm, 200 mm, 300 mm, screen, Laser sources Semi-conductor laser, Optical Bench, screen: Semi - conductor laser (diode laser)  7 Dispersive Power of a Prism Gratings: 15, 000 lines Per inch Prism: 32 x32 Equilateral size		Dookor, E00ml	
4 Newton's Rings Newton's Ring Assembly: Minimum Division of reading drum - 0.01mm, Sodium Lamp: Working distance-76mm Beam Splitter: View field -10mm Focusing Knob: Measurement of accuracy 0.01mm, Retard stand: Radius of curvature R=100cm, Beam Splitter  5 Rotation of an optically active source Polari meter: Measuring range of optical rotation: +/- 180 Division Value: 1° Least count: 0.05° Magnifying factor of the magnifying glass: 4 times Monochromatic light source: 5893A° Power line voltage: 220V, 50 Hz Working current: 1.3A Discharging power: 20W Stabilization time: 5 minutes (approx.) A balance: Weighing Balance Measuring Cylinder: 50 ML Beaker: 100 ML Source of Light and Polari meter tube Sodium Vapor lamp: 30W  6 Diffraction with laser Gratings: 100 mm, 200 mm, 300 mm, screen, Laser sources Semi-conductor laser , Optical Bench , screen: Semi - conductor laser (diode laser) 7 Dispersive Power of a Prism Gratings: 15, 000 lines Per inch Prism: 32 x32 Equilateral size		Beaker: 500ml	
Newton's Ring Assembly: Minimum Division of reading drum - 0.01mm, Sodium Lamp: Working distance-76mm  Beam Splitter: View field -10mm Focusing Knob: Measurement of accuracy 0.01mm, Retard stand: Radius of curvature R=100cm, Beam Splitter  5 Rotation of an optically active source Polari meter: Measuring range of optical rotation: +/- 180 Division Value: 1° Least count: 0.05° Magnifying factor of the magnifying glass: 4 times Monochromatic light source: 5893A° Power line voltage: 220V, 50 Hz Working current: 1.3A Discharging power: 20W Stabilization time: 5 minutes (approx.) A balance: Weighing Balance Measuring Cylinder: 50 ML Beaker: 100 ML Source of Light and Polari meter tube Sodium Vapor lamp: 30W  6 Diffraction with laser Gratings: 100 mm, 200 mm, 300 mm, screen, Laser sources Semi-conductor laser, Optical Bench, screen: Semi - conductor laser (diode laser)  7 Dispersive Power of a Prism Gratings: 15, 000 lines Per inch Prism: 32 x32 Equilateral size		Metric Ruler SS scale: 1 meter	
Newton's Ring Assembly: Minimum Division of reading drum - 0.01mm, Sodium Lamp: Working distance-76mm  Beam Splitter: View field -10mm Focusing Knob: Measurement of accuracy 0.01mm, Retard stand: Radius of curvature R=100cm, Beam Splitter  5 Rotation of an optically active source Polari meter: Measuring range of optical rotation: +/- 180 Division Value: 1° Least count: 0.05° Magnifying factor of the magnifying glass: 4 times Monochromatic light source: 5893A° Power line voltage: 220V, 50 Hz Working current: 1.3A Discharging power: 20W Stabilization time: 5 minutes (approx.) A balance: Weighing Balance Measuring Cylinder: 50 ML Beaker: 100 ML Source of Light and Polari meter tube Sodium Vapor lamp: 30W  6 Diffraction with laser Gratings: 100 mm, 200 mm, 300 mm, screen, Laser sources Semi-conductor laser, Optical Bench, screen: Semi - conductor laser (diode laser)  7 Dispersive Power of a Prism Gratings: 15, 000 lines Per inch Prism: 32 x32 Equilateral size			
Newton's Ring Assembly: Minimum Division of reading drum - 0.01mm, Sodium Lamp: Working distance-76mm  Beam Splitter: View field -10mm Focusing Knob: Measurement of accuracy 0.01mm, Retard stand: Radius of curvature R=100cm, Beam Splitter  5 Rotation of an optically active source Polari meter: Measuring range of optical rotation: +/- 180 Division Value: 1° Least count: 0.05° Magnifying factor of the magnifying glass: 4 times Monochromatic light source: 5893A° Power line voltage: 220V, 50 Hz Working current: 1.3A Discharging power: 20W Stabilization time: 5 minutes (approx.) A balance: Weighing Balance Measuring Cylinder: 50 ML Beaker: 100 ML Source of Light and Polari meter tube Sodium Vapor lamp: 30W  6 Diffraction with laser Gratings: 100 mm, 200 mm, 300 mm, screen, Laser sources Semi-conductor laser, Optical Bench, screen: Semi - conductor laser (diode laser)  7 Dispersive Power of a Prism Gratings: 15, 000 lines Per inch Prism: 32 x32 Equilateral size	4	Newton's Rinas	
Minimum Division of reading drum - 0.01mm, Sodium Lamp: Working distance-76mm Beam Splitter: View field: -10mm Focusing Knob: Measurement of accuracy 0.01mm, Retard stand: Radius of curvature R=100cm, Beam Splitter  5 Rotation of an optically active source Polari meter: Measuring range of optical rotation: +/- 180 Division Value: 1° Least count: 0.05° Magnifying factor of the magnifying glass: 4 times Monochromatic light source: 5893A° Power line voltage: 220V, 50 Hz Working current: 1.3A Discharging power: 20W Stabilization time: 5 minutes (approx.) A balance: Weighing Balance Measuring Cylinder: 50 ML Beaker: 100 ML Source of Light and Polari meter tube Sodium Vapor lamp: 30W  6 Diffraction with laser Gratings: 100 mm, 200 mm, 300 mm, screen, Laser sources Semi-conductor laser (Optical Bench, screen: Semi- conductor laser (diode laser)  7 Dispersive Power of a Prism Gratings: 15, 000 lines Per inch Prism: 32 x32 Equilateral size			
Sodium Lamp: Working distance-76mm Beam Splitter: View field -10mm Focusing Knob: Measurement of accuracy 0.01mm, Retard stand: Radius of curvature R=100cm, Beam Splitter  5 Rotation of an optically active source Polari meter: Measuring range of optical rotation: +/- 180 Division Value: 1° Least count: 0.05° Magnifying factor of the magnifying glass: 4 times Monochromatic light source: 5893A° Power line voltage: 220V, 50 Hz Working current: 1.3A Discharging power: 20W Stabilization time: 5 minutes (approx.) A balance: Weighing Balance Measuring Cylinder: 50 ML Beaker: 100 ML Source of Light and Polari meter tube Sodium Vapor lamp: 30W  6 Diffraction with laser Gratings: 100 mm, 200 mm, 300 mm, screen, Laser sources Semi-conductor laser, Optical Bench, screen: Semi - conductor laser (diode laser)  7 Dispersive Power of a Prism Gratings: 15, 000 lines Per inch Prism: 32 x32 Equilateral size			
Beam Splitter: View field -10mm Focusing Knob: Measurement of accuracy 0.01mm, Retard stand: Radius of curvature R=100cm, Beam Splitter  5 Rotation of an optically active source Polari meter: Measuring range of optical rotation: +/- 180 Division Value: 1° Least count: 0.05° Magnifying factor of the magnifying glass: 4 times Monochromatic light source: 5893A° Power line voltage: 220V, 50 Hz Working current: 1.3A Discharging power: 20W Stabilization time: 5 minutes (approx.) A balance: Weighing Balance Measuring Cylinder: 50 ML Beaker: 100 ML Source of Light and Polari meter tube Sodium Vapor lamp: 30W  6 Diffraction with laser Gratings: 100 mm, 200 mm, 300 mm, screen, Laser sources Semi-conductor laser, Optical Bench, screen: Semi - conductor laser (diode laser)  7 Dispersive Power of a Prism Gratings: 15, 000 lines Per inch Prism: 32 x32 Equilateral size			
Focusing Knob: Measurement of accuracy 0.01mm, Retard stand: Radius of curvature R=100cm, Beam Splitter  5 Rotation of an optically active source Polari meter: Measuring range of optical rotation: +/- 180 Division Value: 1° Least count: 0.05° Magnifying factor of the magnifying glass: 4 times Monochromatic light source: 5893A° Power line voltage: 220V, 50 Hz Working current: 1.3A Discharging power: 20W Stabilization time: 5 minutes (approx.) A balance: Weighing Balance Measuring Cylinder: 50 ML Beaker: 100 ML Source of Light and Polari meter tube Sodium Vapor lamp: 30W  6 Diffraction with laser Gratings: 100 mm, 200 mm, 300 mm, screen, Laser sources Semi-conductor laser, Optical Bench, screen: Semi - conductor laser (diode laser)  7 Dispersive Power of a Prism Gratings: 15, 000 lines Per inch Prism: 32 x32 Equilateral size		Sodium Lamp: Working distance-76mm	4
Retard stand: Radius of curvature R=100cm, Beam Splitter  5 Rotation of an optically active source Polari meter: Measuring range of optical rotation: +/- 180 Division Value: 1° Least count: 0.05° Magnifying factor of the magnifying glass: 4 times Monochromatic light source: 5893A° Power line voltage: 220V, 50 Hz Working current: 1.3A Discharging power: 20W Stabilization time: 5 minutes (approx.) A balance: Weighing Balance Measuring Cylinder: 50 ML Beaker: 100 ML Source of Light and Polari meter tube Sodium Vapor lamp: 30W  6 Diffraction with laser Gratings: 100 mm, 200 mm, 300 mm, screen, Laser sources Semi-conductor laser, Optical Bench, screen: Semi- conductor laser (diode laser)  7 Dispersive Power of a Prism Gratings: 15, 000 lines Per inch Prism: 32 x32 Equilateral size		Beam Splitter: View field -10mm	
Retard stand: Radius of curvature R=100cm, Beam Splitter  5 Rotation of an optically active source Polari meter: Measuring range of optical rotation: +/- 180 Division Value: 1° Least count: 0.05° Magnifying factor of the magnifying glass: 4 times Monochromatic light source: 5893A° Power line voltage: 220V, 50 Hz Working current: 1.3A Discharging power: 20W Stabilization time: 5 minutes (approx.) A balance: Weighing Balance Measuring Cylinder: 50 ML Beaker: 100 ML Source of Light and Polari meter tube Sodium Vapor lamp: 30W  6 Diffraction with laser Gratings: 100 mm, 200 mm, 300 mm, screen, Laser sources Semi-conductor laser, Optical Bench, screen: Semi- conductor laser (diode laser)  7 Dispersive Power of a Prism Gratings: 15, 000 lines Per inch Prism: 32 x32 Equilateral size		Focusing Knob: Measurement of accuracy 0.01mm.	
Beam Splitter  5 Rotation of an optically active source Polari meter: Measuring range of optical rotation: +/- 180 Division Value: 1° Least count: 0.05° Magnifying factor of the magnifying glass: 4 times Monochromatic light source: 5893A° Power line voltage: 220V, 50 Hz Working current: 1.3A Discharging power: 20W Stabilization time: 5 minutes (approx.) A balance: Weighing Balance Measuring Cylinder: 50 ML Beaker: 100 ML Source of Light and Polari meter tube Sodium Vapor lamp: 30W  6 Diffraction with laser Gratings: 100 mm, 200 mm, 300 mm, screen, Laser sources Semi-conductor laser, Optical Bench, screen: Semi - conductor laser (diode laser)  7 Dispersive Power of a Prism Gratings: 15, 000 lines Per inch Prism: 32 x32 Equilateral size		· · · · · · · · · · · · · · · · · · ·	
5 Rotation of an optically active source Polari meter: Measuring range of optical rotation: +/- 180 Division Value: 1° Least count: 0.05° Magnifying factor of the magnifying glass: 4 times Monochromatic light source: 5893A° Power line voltage: 220V, 50 Hz Working current: 1.3A Discharging power: 20W Stabilization time: 5 minutes (approx.) A balance: Weighing Balance Measuring Cylinder: 50 ML Beaker: 100 ML Source of Light and Polari meter tube Sodium Vapor lamp: 30W  6 Diffraction with laser Gratings: 100 mm, 200 mm, 300 mm, screen, Laser sources Semi-conductor laser, Optical Bench, screen: Semi- conductor laser (diode laser)  7 Dispersive Power of a Prism Gratings: 15, 000 lines Per inch Prism: 32 x32 Equilateral size		·	
Polari meter:  Measuring range of optical rotation: +/- 180  Division Value: 1° Least count: 0.05° Magnifying factor of the magnifying glass: 4 times Monochromatic light source: 5893A° Power line voltage: 220V, 50 Hz  Working current: 1.3A Discharging power: 20W Stabilization time: 5 minutes (approx.) A balance: Weighing Balance Measuring Cylinder: 50 ML Beaker: 100 ML Source of Light and Polari meter tube Sodium Vapor lamp: 30W  6 Diffraction with laser Gratings: 100 mm, 200 mm, 300 mm, screen, Laser sources Semi-conductor laser, Optical Bench, screen: Semi- conductor laser (diode laser)  7 Dispersive Power of a Prism Gratings: 15, 000 lines Per inch Prism: 32 x32 Equilateral size		•	
Measuring range of optical rotation: +/- 180 Division Value: 1° Least count: 0.05° Magnifying factor of the magnifying glass: 4 times Monochromatic light source: 5893A° Power line voltage: 220V, 50 Hz  Working current: 1.3A Discharging power: 20W Stabilization time: 5 minutes (approx.) A balance: Weighing Balance Measuring Cylinder: 50 ML Beaker: 100 ML Source of Light and Polari meter tube Sodium Vapor lamp: 30W  6 Diffraction with laser Gratings: 100 mm, 200 mm, 300 mm, screen, Laser sources Semi-conductor laser, Optical Bench, screen: Semi- conductor laser (diode laser)  7 Dispersive Power of a Prism Gratings: 15, 000 lines Per inch Prism: 32 x32 Equilateral size	5		
Division Value: 1° Least count: 0.05° Magnifying factor of the magnifying glass: 4 times Monochromatic light source: 5893A° Power line voltage: 220V, 50 Hz  Working current: 1.3A Discharging power: 20W Stabilization time: 5 minutes (approx.) A balance: Weighing Balance Measuring Cylinder: 50 ML Beaker: 100 ML Source of Light and Polari meter tube Sodium Vapor lamp: 30W  6 Diffraction with laser Gratings: 100 mm, 200 mm, 300 mm, screen, Laser sources Semi-conductor laser, Optical Bench, screen: Semi - conductor laser (diode laser)  7 Dispersive Power of a Prism Gratings: 15, 000 lines Per inch Prism: 32 x32 Equilateral size		Polari meter :	
Division Value: 1° Least count: 0.05° Magnifying factor of the magnifying glass: 4 times Monochromatic light source: 5893A° Power line voltage: 220V, 50 Hz  Working current: 1.3A Discharging power: 20W Stabilization time: 5 minutes (approx.) A balance: Weighing Balance Measuring Cylinder: 50 ML Beaker: 100 ML Source of Light and Polari meter tube Sodium Vapor lamp: 30W  6 Diffraction with laser Gratings: 100 mm, 200 mm, 300 mm, screen, Laser sources Semi-conductor laser, Optical Bench, screen: Semi - conductor laser (diode laser)  7 Dispersive Power of a Prism Gratings: 15, 000 lines Per inch Prism: 32 x32 Equilateral size		Measuring range of optical rotation: +/- 180	
Least count: 0.05° Magnifying factor of the magnifying glass: 4 times Monochromatic light source: 5893A° Power line voltage: 220V, 50 Hz Working current: 1.3A Discharging power: 20W Stabilization time: 5 minutes (approx.) A balance: Weighing Balance Measuring Cylinder: 50 ML Beaker: 100 ML Source of Light and Polari meter tube Sodium Vapor lamp: 30W  6 Diffraction with laser Gratings: 100 mm, 200 mm, 300 mm, screen, Laser sources Semi-conductor laser, Optical Bench, screen: Semi- conductor laser (diode laser)  7 Dispersive Power of a Prism Gratings: 15, 000 lines Per inch Prism: 32 x32 Equilateral size			
Magnifying factor of the magnifying glass: 4 times Monochromatic light source: 5893A° Power line voltage: 220V, 50 Hz  Working current: 1.3A Discharging power: 20W Stabilization time: 5 minutes (approx.) A balance: Weighing Balance Measuring Cylinder: 50 ML Beaker: 100 ML Source of Light and Polari meter tube Sodium Vapor lamp: 30W  6 Diffraction with laser Gratings: 100 mm, 200 mm, 300 mm, screen, Laser sources Semi-conductor laser, Optical Bench, screen: Semi- conductor laser (diode laser)  7 Dispersive Power of a Prism Gratings: 15, 000 lines Per inch Prism: 32 x32 Equilateral size			
Monochromatic light source : 5893A° Power line voltage: 220V, 50 Hz  Working current: 1.3A Discharging power: 20W Stabilization time: 5 minutes (approx.) A balance: Weighing Balance Measuring Cylinder: 50 ML Beaker : 100 ML Source of Light and Polari meter tube Sodium Vapor lamp : 30W  6 Diffraction with laser Gratings : 100 mm, 200 mm, 300 mm, screen, Laser sources Semi-conductor laser , Optical Bench , screen: Semi - conductor laser (diode laser)  7 Dispersive Power of a Prism Gratings : 15, 000 lines Per inch Prism : 32 x32 Equilateral size			
Power line voltage: 220V, 50 Hz  Working current: 1.3A  Discharging power: 20W  Stabilization time: 5 minutes (approx.)  A balance: Weighing Balance  Measuring Cylinder: 50 ML  Beaker: 100 ML  Source of Light and Polari meter tube  Sodium Vapor lamp: 30W  6 Diffraction with laser  Gratings: 100 mm, 200 mm, 300 mm, screen, Laser sources  Semi-conductor laser, Optical Bench, screen: Semi -  conductor laser (diode laser)  7 Dispersive Power of a Prism  Gratings: 15, 000 lines Per inch  Prism: 32 x32 Equilateral size			
Working current: 1.3A Discharging power: 20W Stabilization time: 5 minutes (approx.) A balance: Weighing Balance Measuring Cylinder: 50 ML Beaker: 100 ML Source of Light and Polari meter tube Sodium Vapor lamp: 30W  6 Diffraction with laser Gratings: 100 mm, 200 mm, 300 mm, screen, Laser sources Semi-conductor laser, Optical Bench, screen: Semi - conductor laser (diode laser)  7 Dispersive Power of a Prism Gratings: 15, 000 lines Per inch Prism: 32 x32 Equilateral size		Monochromatic light source : 5893A°	
Working current: 1.3A Discharging power: 20W Stabilization time: 5 minutes (approx.) A balance: Weighing Balance Measuring Cylinder: 50 ML Beaker: 100 ML Source of Light and Polari meter tube Sodium Vapor lamp: 30W  6 Diffraction with laser Gratings: 100 mm, 200 mm, 300 mm, screen, Laser sources Semi-conductor laser, Optical Bench, screen: Semi - conductor laser (diode laser)  7 Dispersive Power of a Prism Gratings: 15, 000 lines Per inch Prism: 32 x32 Equilateral size		Power line voltage: 220V, 50 Hz	4
Discharging power: 20W Stabilization time: 5 minutes (approx.) A balance: Weighing Balance Measuring Cylinder: 50 ML Beaker: 100 ML Source of Light and Polari meter tube Sodium Vapor lamp: 30W  6 Diffraction with laser Gratings: 100 mm, 200 mm, 300 mm, screen, Laser sources Semi-conductor laser, Optical Bench, screen: Semi- conductor laser (diode laser)  7 Dispersive Power of a Prism Gratings: 15, 000 lines Per inch Prism: 32 x32 Equilateral size		_	
Stabilization time: 5 minutes (approx.) A balance: Weighing Balance Measuring Cylinder: 50 ML Beaker: 100 ML Source of Light and Polari meter tube Sodium Vapor lamp: 30W  6 Diffraction with laser Gratings: 100 mm, 200 mm, 300 mm, screen, Laser sources Semi-conductor laser, Optical Bench, screen: Semi - conductor laser (diode laser)  7 Dispersive Power of a Prism Gratings: 15, 000 lines Per inch Prism: 32 x32 Equilateral size			
A balance: Weighing Balance Measuring Cylinder: 50 ML Beaker: 100 ML Source of Light and Polari meter tube Sodium Vapor lamp: 30W  6 Diffraction with laser Gratings: 100 mm, 200 mm, 300 mm, screen, Laser sources Semi-conductor laser, Optical Bench, screen: Semi- conductor laser (diode laser)  7 Dispersive Power of a Prism Gratings: 15, 000 lines Per inch Prism: 32 x32 Equilateral size			
Measuring Cylinder: 50 ML Beaker: 100 ML Source of Light and Polari meter tube Sodium Vapor lamp: 30W  6 Diffraction with laser Gratings: 100 mm, 200 mm, 300 mm, screen, Laser sources Semi-conductor laser, Optical Bench, screen: Semi- conductor laser (diode laser)  7 Dispersive Power of a Prism Gratings: 15, 000 lines Per inch Prism: 32 x32 Equilateral size		, , , ,	
Beaker: 100 ML Source of Light and Polari meter tube Sodium Vapor lamp: 30W  6 Diffraction with laser Gratings: 100 mm, 200 mm, 300 mm, screen, Laser sources Semi-conductor laser, Optical Bench, screen: Semi- conductor laser (diode laser)  7 Dispersive Power of a Prism Gratings: 15, 000 lines Per inch Prism: 32 x32 Equilateral size			
Source of Light and Polari meter tube Sodium Vapor lamp: 30W  6		Measuring Cylinder: 50 ML	
Sodium Vapor lamp: 30W  6		Beaker: 100 ML	
Sodium Vapor lamp: 30W  6		Source of Light and Polari meter tube	
6 Diffraction with laser Gratings: 100 mm, 200 mm, 300 mm, screen, Laser sources Semi-conductor laser, Optical Bench, screen: Semi- conductor laser (diode laser)  7 Dispersive Power of a Prism Gratings: 15, 000 lines Per inch Prism: 32 x32 Equilateral size			
Gratings: 100 mm, 200 mm, 300 mm, screen, Laser sources Semi-conductor laser, Optical Bench, screen: Semi- conductor laser (diode laser)  7 Dispersive Power of a Prism Gratings: 15, 000 lines Per inch Prism: 32 x32 Equilateral size			
Semi-conductor laser , Optical Bench , screen: Semi - conductor laser (diode laser)  7	6		
conductor laser (diode laser)  7		Gratings: 100 mm, 200 mm, 300 mm, screen, Laser sources	
conductor laser (diode laser)  7		Semi-conductor laser , Optical Bench , screen: Semi -	4
7 <u>Dispersive Power of a Prism</u> Gratings: 15, 000 lines Per inch Prism: 32 x32 Equilateral size		•	
Gratings: 15, 000 lines Per inch Prism: 32 x32 Equilateral size	7		
Prism: 32 x32 Equilateral size	,	·	
·			
		·	
Mercury Vapor lamp 4		Mercury Vapor lamp	4
Reading lens, Spectrometer		Reading lens, Spectrometer	
Spirit level			
8 Fresnel Bi-Prism	ρ	- 1	
Optical Bench : Source, slit, Bi prism , Stand			
Sodium lamp		•	
Fresnel's Bi prism 4		Fresnel's Bi prism	4
Convex lens and Micrometer		Convex lens and Micrometer	
Eye piece			
	0	7 1	
	9	•	
A mercury filled frank: Saw tooth waveform for CRO display,		· ·	
A neon filled frank hertz tube - Scanning Voltage : 0-80 4		A neon filled frank hertz tube - Scanning Voltage : 0-80	4

 		<u> </u>
10	Scanning A small Heater: Filament Power Supply: 2.6-3.4V continuously frequency: 115±20Hz A control unit for power supply DC Current amplifier  Photo Electric Effect Optical filters, Apertures, Caps, Screws, Mercury light source enclosure: Photo Sensitive Device: 1) Vacuum photo tube. 2) Light source: Halogen tungsten lamp 12V/35W. 3) Color Filters: 635nm, 570nm, 540nm, 500nm & 460nm Photo diode enclosure Photo electric effect apparatus, Cables & Cords:, Power cord for power supply Power cable for photo electric apparatus BNC connector cable for photo diode enclosure Banana plug patch cords, red and blue Optical Filters Box: Filters: 365 nm, 405 nm, 436nm, 546 nm, 577 nm	4
11	Optical Filters Box: Aperture -2mm, 4mm & 8mm diameter Caps: photo diode mercury lamp  Measurement of Band gap in semi-conductors Semiconductor diode kit: Resistivity of Semiconductors, Four probe method digital display Thermistor: with Meters, Power supply,	4
	CRO (Cathode ray oscilloscope) : WITH ALT TRIG	4
12	Measurement of Hall effect Power supply for electromagnets: Gauss meter with hall probes, P type and Ge semi-conductors on PCB (Printed circuit Board), Multi meter and electromagnets,	4
	CRO (Cathode ray oscilloscope): WITH ALT TRIG	4

# 6.2.2 Chemistry Laboratory Equipment

SI.	Name of the Experiment	Equipment	Quantity
No			Nos.
1	Conductivity meter with glass electrode	Range: 0uS- 200 mS, Resolution: 0.1uS, Temperature: 0 C - 100 c (Manual), Readout: 3 digits LED	8
2	Stop watch		8

3	Determination of viscosity of a	Red wood Viscometer	2
	lubricating oil using Red wood		
	viscometer		

# 6.2.3 Chemistry Laboratory (Glassware)

No	SI.	Item Description	Volume / Capacity Quantity		
2	No	·	Nos.		
2         Pipette         10 ml         35 ml         3	1	Burette	50ml (Borosilicate) 35		
S ml   35			20 ml (Borosilicate)	35	
3         Burette stand         Standard size         35           4         Conical Flask         250 ml         35           5         Funnel         75mm Dia         35           6         White tiles         100 x 100 mm         35           7         Watch glass         Dia 75mm (2.8inch)         35           8         China dish         Dia 75 mm         35           9         Water Bath         500ml         35           10         Tripod stand         Standard size         35           11         Micro burette         10ml         35           11         Micro burette         10ml         35           100ml (Borosilicate)         20         20           250ml         20         20ml           100ml (Borosilicate)         10         10           100ml         10         10           100ml         10         10           10ml         10	2	Pipette	10 ml	35	
4         Conical Flask         250 ml         35           5         Funnel         75mm Dia         35           6         White tiles         100 x 100 mm         35           7         Watch glass         Dia 75mm (2.8inch)         35           8         China dish         Dia 75 mm         35           9         Water Bath         500ml         35           10         Tripod stand         Standard size         35           11         Micro burette         10ml         35           10 Micro burette         10ml         35           10 Micro burette         10ml         35           100ml (Borosilicate)         20           250ml         20           250ml         20           100ml (Borosilicate)         10           100ml         10           100ml         10           100ml         10           100ml         10           10ml         10 </td <td></td> <td></td> <td>5 ml</td> <td>35</td>			5 ml	35	
5         Funnel         75mm Dia         35           6         White tiles         100 x 100 mm         35           7         Watch glass         Dia 75mm (2.8inch)         35           8         China dish         Dia 75 mm         35           9         Water Bath         500ml         35           10         Tripod stand         Standard size         35           11         Micro burette         10ml         35           12         Beaker         500ml (Borosilicate)         20           250ml         20         250ml         20           100ml         20         1000ml         20           10ml         10         10         10           10ml         10         20         10	3	Burette stand	Standard size	35	
6         White tiles         100 x 100 mm         35           7         Watch glass         Dia 75mm (2.8inch)         35           8         China dish         Dia 75 mm         35           9         Water Bath         500ml         35           10         Tripod stand         Standard size         35           11         Micro burette         10ml         35           10         10ml (Borosilicate)         20           250ml         20         250ml         20           100ml (Borosilicate)         10         10           100ml         20         1000ml         20           5 ml (Borosilicate)         10         10           100ml         10         10           100ml         10         10           100ml         10         10           100ml         10         10           100ml (Plastic)         10           100ml (Plastic)         10           14         Nickel spatula         Standard size         40           15         Mortar and pestle set         500ml         2           16         Test tube         20 ml         100           17 <td>4</td> <td>Conical Flask</td> <td>250 ml</td> <td>35</td>	4	Conical Flask	250 ml	35	
7         Watch glass         Dia 75mm (2.8inch)         35           8         China dish         Dia 75 mm         35           9         Water Bath         500ml         35           10         Tripod stand         Standard size         35           11         Micro burette         10ml         35           11         Micro burette         10ml         35           10ml         100ml (Borosilicate)         20           250ml         20         20ml           50ml         20         20ml           100ml         10         10           100ml (Plastic)         10         10           14         Nickel spatula         Standard size         40           15         Mortar and pestle set         500ml         2           16         Test tube         20 ml         100           17         Test tube stand         <	5	Funnel	75mm Dia	35	
8         China dish         Dia 75 mm         35           9         Water Bath         500ml         35           10         Tripod stand         Standard size         35           11         Micro burette         10ml         35           11         Micro burette         10ml         35           10         100ml (Borosilicate)         20           250ml         20         20           50ml         20           100ml         20           5 ml (Borosilicate)         10           10ml         10	6	White tiles	100 x 100 mm	35	
9         Water Bath         500ml         35           10         Tripod stand         Standard size         35           11         Micro burette         10ml         35           12         Beaker         100ml (Borosilicate)         20           250ml         20         20ml           1000ml         20         1000ml         20           1000ml         20         1000ml         20           1000ml         20         1000ml         20           1000ml         20         1000ml         10           10ml         10         10         10           10ml         10         10         10           100ml         10         10         10           100ml         10         10         10           100ml         10         10         10           100ml         10         10         10           11         100ml         10         10           12         10         20ml         10           15         Mortar and pestle set         500ml         2           16         Test tube         20 ml         100           17 <td>7</td> <td>Watch glass</td> <td>Dia 75mm (2.8inch)</td> <td>35</td>	7	Watch glass	Dia 75mm (2.8inch)	35	
10         Tripod stand         Standard size         35           11         Micro burette         10ml         35           12         Beaker         500ml         20           12         Beaker         500ml         20           1000ml         20         1000ml         20           1000ml         20         1000ml         10           1000ml         10         10         10           100 ml         10         10         10           14 Nickel spatula         Standard size         40           15 Mortar and pestle set         500ml         2           16 Test tube         20 ml         100           17 Test tube stand         Plastic         40           18 Iodine Flask with lid         500 ml         35           19 Buchner funnel         Porcelain         40           20 Wire gauze         Standa	8	China dish	Dia 75 mm	35	
11   Micro burette   10ml   35	9	Water Bath	500ml	35	
12   Beaker     20   250ml   20   250ml   20     250ml   20     1000ml   20     1000ml   20     1000ml   20     1000ml   20     100ml   10   10   10     100 ml   10   100 ml   10   1000ml   (Plastic)   10   1000ml   (Plastic)   10   1000ml   (Plastic)   10   1000ml   (Plastic)   10   1000ml   1000ml   2   16   Test tube   20 ml   1000   17   Test tube stand   Plastic   40   18   lodine Flask with lid   500 ml   35   19   Buchner funnel   Porcelain   40   20   Wire gauze   Standard size   40   20   Wire gauze   Standard size   40   22   Filler   Standard size   20   23   Rubber cork   Standard size   40   24   Thermometer (Mercury)   360° C   15   25   Brown Bottles   2 Liter capacity   10	10	Tripod stand	Standard size	35	
250ml   20     500ml   20     1000ml   20     1000ml   20     1000ml   20     1000ml   10   10   10   10   10   10   10   1	11	Micro burette	10ml	35	
12       Beaker       500ml       20         1000ml       20         5 ml (Borosilicate)       10         10ml       10         50ml       10         100 ml       10         500ml (Plastic)       10         1000ml (Plastic)       10         14 Nickel spatula       Standard size       40         15 Mortar and pestle set       500ml       2         16 Test tube       20 ml       100         17 Test tube stand       Plastic       40         18 Iodine Flask with lid       500 ml       35         19 Buchner funnel       Porcelain       40         20 Wire gauze       Standard size       40         21 Glass rod       10 cm       40         22 Filler       Standard size       20         23 Rubber cork       Standard size       40         24 Thermometer (Mercury)       360° C       15         25 Brown Bottles       2 Liter capacity       10			100ml (Borosilicate)	20	
1000ml   20   1000ml   20   10   10ml   10   10ml   10   10   100 ml   100 ml			250ml	20	
13   Measuring Jar   10   10   10   10   10   10   10   1	12	Beaker	500ml	20	
10ml			1000ml	20	
Test tube   Standard size   Standard size   House   House			5 ml (Borosilicate)	10	
100 ml		Measuring Jar	10ml	10	
500ml (Plastic)         10           14 Nickel spatula         Standard size         40           15 Mortar and pestle set         500ml         2           16 Test tube         20 ml         100           17 Test tube stand         Plastic         40           18 Iodine Flask with lid         500 ml         35           19 Buchner funnel         Porcelain         40           20 Wire gauze         Standard size         40           21 Glass rod         10 cm         40           22 Filler         Standard size         20           23 Rubber cork         Standard size         40           24 Thermometer (Mercury)         360° C         15           25 Brown Bottles         2 Liter capacity         10	13		50ml	10	
14       Nickel spatula       Standard size       40         15       Mortar and pestle set       500ml       2         16       Test tube       20 ml       100         17       Test tube stand       Plastic       40         18       Iodine Flask with lid       500 ml       35         19       Buchner funnel       Porcelain       40         20       Wire gauze       Standard size       40         21       Glass rod       10 cm       40         22       Filler       Standard size       20         23       Rubber cork       Standard size       40         24       Thermometer (Mercury)       360° C       15         25       Brown Bottles       2 Liter capacity       10			100 ml	10	
14         Nickel spatula         Standard size         40           15         Mortar and pestle set         500ml         2           16         Test tube         20 ml         100           17         Test tube stand         Plastic         40           18         Iodine Flask with lid         500 ml         35           19         Buchner funnel         Porcelain         40           20         Wire gauze         Standard size         40           21         Glass rod         10 cm         40           22         Filler         Standard size         20           23         Rubber cork         Standard size         40           24         Thermometer (Mercury)         360° C         15           25         Brown Bottles         2 Liter capacity         10			500ml (Plastic)	10	
15       Mortar and pestle set       500ml       2         16       Test tube       20 ml       100         17       Test tube stand       Plastic       40         18       Iodine Flask with lid       500 ml       35         19       Buchner funnel       Porcelain       40         20       Wire gauze       Standard size       40         21       Glass rod       10 cm       40         22       Filler       Standard size       20         23       Rubber cork       Standard size       40         24       Thermometer (Mercury)       360° C       15         25       Brown Bottles       2 Liter capacity       10			1000ml (Plastic)	10	
15       Mortar and pestle set       500ml       2         16       Test tube       20 ml       100         17       Test tube stand       Plastic       40         18       Iodine Flask with lid       500 ml       35         19       Buchner funnel       Porcelain       40         20       Wire gauze       Standard size       40         21       Glass rod       10 cm       40         22       Filler       Standard size       20         23       Rubber cork       Standard size       40         24       Thermometer (Mercury)       360° C       15         25       Brown Bottles       2 Liter capacity       10	14	Nickel spatula	Standard size	40	
16       Test tube       20 ml       100         17       Test tube stand       Plastic       40         18       Iodine Flask with lid       500 ml       35         19       Buchner funnel       Porcelain       40         20       Wire gauze       Standard size       40         21       Glass rod       10 cm       40         22       Filler       Standard size       20         23       Rubber cork       Standard size       40         24       Thermometer (Mercury)       360° C       15         25       Brown Bottles       2 Liter capacity       10	15	-	500ml	2	
18         Iodine Flask with lid         500 ml         35           19         Buchner funnel         Porcelain         40           20         Wire gauze         Standard size         40           21         Glass rod         10 cm         40           22         Filler         Standard size         20           23         Rubber cork         Standard size         40           24         Thermometer (Mercury)         360° C         15           25         Brown Bottles         2 Liter capacity         10	16		20 ml	100	
19         Buchner funnel         Porcelain         40           20         Wire gauze         Standard size         40           21         Glass rod         10 cm         40           22         Filler         Standard size         20           23         Rubber cork         Standard size         40           24         Thermometer (Mercury)         360° C         15           25         Brown Bottles         2 Liter capacity         10	17	Test tube stand	Plastic	40	
20         Wire gauze         Standard size         40           21         Glass rod         10 cm         40           22         Filler         Standard size         20           23         Rubber cork         Standard size         40           24         Thermometer (Mercury)         360° C         15           25         Brown Bottles         2 Liter capacity         10	18	lodine Flask with lid	500 ml	35	
20       Wire gauze       Standard size       40         21       Glass rod       10 cm       40         22       Filler       Standard size       20         23       Rubber cork       Standard size       40         24       Thermometer (Mercury)       360° C       15         25       Brown Bottles       2 Liter capacity       10	19	Buchner funnel	Porcelain	40	
21       Glass rod       10 cm       40         22       Filler       Standard size       20         23       Rubber cork       Standard size       40         24       Thermometer (Mercury)       360° C       15         25       Brown Bottles       2 Liter capacity       10	20	Wire gauze		40	
22FillerStandard size2023Rubber corkStandard size4024Thermometer (Mercury)360° C1525Brown Bottles2 Liter capacity10				40	
23Rubber corkStandard size4024Thermometer (Mercury)360° C1525Brown Bottles2 Liter capacity10					
24Thermometer (Mercury)360° C1525Brown Bottles2 Liter capacity10					
25 Brown Bottles 2 Liter capacity 10					
1 2		` ',			
ZO   Flasiic Call     S Litel   TO	26	Plastic can	3 Liter	10	

		5 Liter	10
		10 Liter	10
27	Plastic Bucket with lid	5 liter	10
28	Brush	Reagent Bottle cleaning brush	20
29	Test tube holder	Standard size	40
30	Tongs	Standard size	40
31	Boiling tube with cork	20 ml	40
32	Reagent Bottles	100 ml	25
		250 ml	25
		500 ml	25
		1000 ml	25
33	Safety gloves	Standard size	100

# 6.2.4 Chemistry Laboratory (Chemicals)

SI. No.	Name of the Experiment	Name of the Chemical	Units	Quantity
1	Estimation of Chloride	Silver Nitrate	grams	100
	lon	Sodium Chloride	grams	500
		Potassium Chromate Indicator	grams	500
2	EDTA Titration	EDTA	grams	500
		Zinc Sulphate hexahydrate	grams	500
		Ammonia	litre	5
		Ammonium chloride	kg	1
		Eriochrome Black -T Indicator	grams	100
3 Akalinity		Conc.Hydrochloric acid	litre	5
		Sodium Bicarbonate	grams	500
		Sodium Carbonate	grams	500
		Sodium Hydroxide	grams	500
		Methyl orange Indicator	ml	100
		Phenolphthalein Indicator	ml	100
4	Estimation of D.O.	Sodium Thiosulphate	grams	500
		Potassium Dichromate	grams	500
		Potassium Iodide	kg	1
		Conc . Sulphuric acid	litre	3
		Manganese Sulphate	grams	500
		Sodium Hydroxide	grams	500
		Starch Indicator	grams	500
5	Estimation of	Ortho Phosphoric acid	litre	1
	Phosphate	Sodium Hydroxide	grams	500

		Methyl orange indicator	ml	100
6	Conductometric	Hydrochloric acid	litre	1
	Titrations	Sodium hydroxide	grams	500
7	Estimation of Ferrous	Ferrous Sulphate	grams	500
	Sulphate	Potassium Permanganate	grams	500
8	Determination of viscosity of a lubricating oil using Red wood viscometer	Coconut oil, Castor oil,	ml	250
9	Estimation of	Hydrazine Sulphate	grams	500
	Hydrazine	Potassium Iodate	grams	500
		Starch	grams	500
		Conc. Hcl	litre	3
10	Estimation of	Barium chloride	grams	500
	Sulphate	Sodium Sulphate	grams	500

- 6.3 Inspection, Installation & Commissioning and Acceptance of the Laboratory Equipment
- 6.3.1 The Inspection, Installation and Commissioning and acceptance of the equipment shall be carried out at Indian Maritime University up on receipt in presence of the IMUV staff.
- 6.3.2 The supplier has to demonstrate the functioning of the each experiment/equipment at Indian Maritime University, Visakhapatnam Campus.
- 6.3.3 The Inspection, Installation and Commissioning and acceptance of the equipment and Consumables shall be as per the in-house format of IMUV.

# TECHNICAL BID

SI. No	Particul	ars		Documentary Proof
1	Name of the Tenderer			
2	Status (Proprietary/Partnership/ Society/Company)			Indicate whether documentary proof enclosed Yes / No
3	Address of the Registered Office			
4	Telephone			
	Mobile			
	Email Address			
5	Address of the Local Office			
6	Telephone			
	Mobile			
	Email Address			
7	Permanent Account Number issued by the Income Tax Authorities			Indicate whether documentary proof enclosed Yes / No
8	GST Registration Number			Indicate whether documentary proof enclosed Yes / No
9	Turnover over —  ➤ 2016-2017			Indicate whether documentary proof enclosed Yes / No
	> 2010-2017 > 2017-2018	Rs	Lakhs	Yes / No
	➤ 2018-2019	Rs		Yes / No

		Rs. Lakhs
10	Audited Balance Sheet and Profit and Loss Account for the Financial Years -	Indicate whether documentary proof enclosed
	<ul><li>2016-2017</li><li>2017-2018</li><li>2018-2019</li></ul>	Yes / No Yes / No Yes / No
11	Income Tax Returns for the Financial Years (FY)	Indicate whether documentary proof enclosed
	FY 2016-2017 (AY 2017-2018)	Yes / No
	➤ FY 2017-2018 (AY 2018-2019) ➤ FY 2018-2019	Yes / No
	(AY 2019-2020)	Yes / No
12	Details of Agreements / Work orders in respect of	Indicate whether documentary proof enclosed
	supply of Physics and Chemistry Laboratory Equipment in Engineering Educational Institutes (Colleges / Universities) in India during the Financial Years 2016-17, 2017-18 and 2018-19 including value with a consolidated statement as per Annexure-1	Yes / No
13	Satisfactory Performance Certificates from the organizations where the Physics and Chemistry Laboratory Equipment in Engineering Educational Institutes (Colleges / Universities) in India has been supplied during the	Indicate whether documentary proof enclosed  Yes / No

Financial Years 2016-2017,		
2018-2018 and 2018-2019 as		
per <u>Annexure-2</u>		
Undertaking on letter	Indicate whether documentary proof enclosed	
head of the Tenderer		
stating that it has not been	Yes / No	
blacklisted by any Central		
Government Department/		
Ministry / PSU / Statement		
Government etc. as		
<u>Annexure-3</u>		
Bank Details		
a) Account Number		
b) Type of Account		
c) Bank		
d) Branch		
e) Address		
d) IFSC Code		
	2018-2018 and 2018-2019 as per Annexure-2  Undertaking on letter head of the Tenderer stating that it has not been blacklisted by any Central Government Department/ Ministry / PSU / Statement Government etc. as Annexure-3  Bank Details a) Account Number b) Type of Account c) Bank d) Branch e) Address	2018-2018 and 2018-2019 as per Annexure-2  Undertaking on letter head of the Tenderer stating that it has not been blacklisted by any Central Government Department/ Ministry / PSU / Statement Government etc. as Annexure-3  Bank Details a) Account Number b) Type of Account c) Bank d) Branch e) Address

	Signature and Seal of the Bidder
Place :	 <u> </u>
Date :	

#### Annexure-1

### Annexure-1 (SI.No.12 of the Technical Bid)

<u>Details of Agreements / Work orders in respect of supply of Physics and Chemistry Laboratory Equipment in Engineering Educational Institutes (Colleges / Universities) in India during the Financial Years 2016-17, 2017-18 and 2018-19</u>

SI. No.	Educational Institutes (Colleges / Universities)	Period		Agreements / Work orders in respect of	Value Rs.
		From	То	supply of Physics and Chemistry Laboratory Equipment in Engineering Educational Institutes (Colleges / Universities)	

				Sig	nature and Seal	of the Bidder
Place	:	 	_			
Date	:	 	=			

Page 25 of 36

### Annexure-2 (SI.No.13 of the Technical Bid)

<u>Details of Satisfactory Performance Certificates from the Engineering</u> Educational Institutes (Colleges / Universities) in India where Physics and Chemistry Laboratory Equipment has been supplied during the Financial Years 2016-2017, 2018-2018 and 2018-2019

SI. No.	Educational Institutes (Colleges / Universities)	Details of Equipment	Reference of Performance Certificate and Date
		Signat	ure and Seal of the Bidder

				Signatu	ıre and Sea	l of the Bio	dder
Place	:	 					
Date	:	 					

### Annexure-3 (SI.No14 to Technical Bid)

Format of Undertaking, To Be Furnished On Company Letter Head With Regard To Black Listing /Non-Debarment, By Organisation

Undertaking Regarding Blacklisting / Non-Debarment

The Campus Director
Indian maritime University
Tekkalipalem (PO)
Near Rayavarapu Agraharam
Sabbavaram Mandal
Vangali
Visakhapatnam -531035
Sir,
We hereby confirm and declare that we, M/s
is not blacklisted /de-registered/debarred by any Government / Public Sector Undertaking /Private Sector/ or any other agency for which we have Executed / Undertaken the works/Services during the last 5 years.
Authorized Signatory
Date:

### Annexure-4

# Tender for Supply, Installation & Commissioning of Physics and Chemistry Laboratory Equipment and Supply of Consumables

# Tender No. IMUV/2024/2019-2020/Laboratories/007 Dated 25-02-2020 PRICE BID

# (A) Physics Laboratory Equipment

SI.	Name of the Equipment and Technical	Quantity	Rate	Total	Total	Grand	Grand
No	Specifications	Nos.		Price	Taxes	Total	Total with
						with Taxes	Taxes
						(in Figures)	(in words)
				(Figures	in Rupees	5)	
1	Torsional Pendulum Rigidity Modulus						
	Torsional pendulum with Stand, wire and						
	Accessories						
	Stop Watch: Standard Analog	4					
	Screw Gauge: 50 – 75 mm						
	Vernier Caliper: 12 Inches						
	Metric Ruler SS scale: 1 meter						
2	Normal mode of Coupled Oscillators						
	Coupling springs, Screen on stand etc:						
	Pendulum length: 1 m						
	Spring length: 21 cm						
	Dia: 30mm						
	Constant: 2.5N/m	4					
	Weights (4): 500g Power supply: o/p: 12v,5v/500mA	4					
	Detector: Magnetic field sensor						
	PC interface: RS232						
	Data acquisition unit: LCD display least count:						
	1 sec						
	Stop Watch - Standard Analog						
	otop Water otaliaara Allalog						

2	Magaziromant of Valonity of acquistic					
3	Measurement of Velocity of acoustic					
	waves	_				
	Resonance tube - Standard size, Tuning fork :	4				
	450Hz,					
	Rubber Mallets,					
	Thermometer: Mercury 110 c,					
	Beaker: 500ml					
	Metric Ruler SS scale: 1 meter					
4	Newton's Rings					
	Newton's Ring Assembly:					
	Minimum Division of reading drum - 0.01mm,					
	Sodium Lamp: Working distance-76mm	4				
	Beam Splitter: View field -10mm					
	Focusing Knob: Measurement of accuracy					
	0.01mm,					
	Retard stand: Radius of curvature R=100cm,					
	Beam Splitter					
5	Rotation of an optically active source					
J	Polari meter :					
	Measuring range of optical rotation: +/- 180 Division Value: 1°					
	Least count: 0.05°					
	Magnifying factor of the magnifying glass: 4					
	times	_				
	Monochromatic light source : 5893A°	4				
	Power line voltage: 220V, 50 Hz					
	Working current: 1.3A					
	Discharging power: 20W					
	Stabilization time: 5 minutes (approx.)					
	A balance: Weighing Balance					
	Measuring Cylinder: 50 ML					
	Beaker: 100 ML					
	Source of Light and Polari meter tube					
	Sodium Vapor lamp : 30W					
			,	L	·	 D 20 C26

6	Diffraction with laser				
	Gratings: 100 mm, 200 mm, 300 mm,				
	screen, Laser sources	4			
	Semi-conductor laser, Optical Bench,	7			
	screen: Semi -conductor laser (diode laser)				
7	Dispersive Power of a Prism				
'	Gratings: 15, 000 lines Per inch				
	Prism: 32 x32 Equilateral size				
	Mercury Vapor lamp	4			
	Reading lens, Spectrometer	4			
	Spirit level				
8	Fresnel Bi-Prism				
0	Optical Bench: Source, slit, Bi prism, Stand				
	Sodium lamp				
	Fresnel's Bi prism	4			
	Convex lens and Micrometer	4			
9	Eye piece				
9	Franck -Hertz experiment				
	A mercury filled frank : Saw tooth waveform	4			
	for CRO display,	4			
	A neon filled frank hertz tube - Scanning				
	Voltage: 0-80 Scanning				
	A small Heater: Filament Power Supply:				
	2.6-3.4V continuously frequency: 115±20Hz				
	A control unit for power supply				
10	DC Current amplifier				
10	Photo Electric Effect				
	Optical filters , Apertures , Caps, Screws,				
	Mercury light source enclosure : Photo				
	Sensitive Device:				
	1) Vacuum photo tube.				
	2) Light source: Halogen tungsten lamp				
	12V/35W.				

Photo electric effect apparatus , Cables & Cords:, Power cord for power supply Power cable for photo electric apparatus BNC connector cable for photo diode enclosure Banana plug patch cords , red and blue Optical Filters Box : Filters: 365 nm , 405 nm , 436nm, 546 nm, 577 nm Optical Filters Box : Aperture -2mm, 4mm & 8mm diameter Caps : photo diode mercury lamp	
11 Measurement of Band gap in semi- conductors 4	
Semiconductor diode kit: Resistivity of Semiconductors,	
Four probe method digital display	
Thermistor: with Meters, Power supply,	
CRO (Cathode ray oscilloscope): 4 WITH ALT TRIG	
12 Measurement of Hall effect	
Power supply for electromagnets :	
Gauss meter with hall probes, P type and 4	
Ge semi-conductors on PCB (Printed circuit Board), Multi meter and electromagnets,	
CRO (Cathode ray oscilloscope):  4	
WITH ALT TRIG	
TOTAL (A)	

(B) Chemistry Laboratory Equipment

(D)	Chemistry Labo	ratory Equipment				1		
SI.	Name of the	Equipment	Quantity	Rate	Total	Total	Grand	Grand
No	Experiment		Nos.		Price	Taxes	Total	Total with
							with Taxes	Taxes
							(in Figures)	(in words)
					(Figures	s in Rupees	5)	
1	Conductivity meter with glass electrode	Range: 0uS- 200 mS, Resolution: 0.1uS, Temperature:0 C- 100 c (Manual), Readout: 3 digits LED	8					
2	Stop watch		8					
3	Determination of viscosity of a lubricating oil using Red wood viscometer	Red wood Viscometer	2					
		TOTAL (B)						

(C) Chemistry Laboratory (Glassware)

SI.	Item Description	Volume / Capacity	Quantity	Rate	Total	Total	Grand	Grand
No			Nos.		Price	Taxes	Total	Total with
							with Taxes	Taxes
							(in Figures)	(in words)
					(Figures	s in Rupees	s)	
1	Burette	50ml (Borosilicate)	35					
		20 ml (Borosilicate)	35					
2	Pipette	10 ml	35					
		5 ml	35					

3	Burette stand	Standard size	35			
4	Conical Flask	250 ml	35			
5	Funnel	75mm Dia	35			
6	White tiles	100 x 100 mm	35			
7	Watch glass	Dia 75mm (2.8inch)	35			
8	China dish	Dia 75 mm	35			
9	Water Bath	500ml	35			
10	Tripod stand	Standard size	35			
11	Micro burette	10ml	35			
		100ml (Borosilicate)	20			
		250ml	20			
12	Beaker	500ml	20			
		1000ml	20			
		5 ml (Borosilicate)	10			
		10ml	10			
13	Measuring Jar	50ml	10			
		100 ml	10			
		500ml (Plastic)	10			
		1000ml (Plastic)	10			
14	Nickel spatula	Standard size	40			
15	Mortar and pestle set	500ml	2			
16	Test tube	20 ml	100			
17	Test tube stand	Plastic	40			
18	lodine Flask with lid	500 ml	35			
19	Buchner funnel	Porcelain	40			
20	Wire gauze	Standard size	40			
21	Glass rod	10 cm	40			
22	Filler	Standard size	20			
23	Rubber cork	Standard size	40			
24	Thermometer	360° C	15			
	(Mercury)					

25	Brown Bottles	2 Liter capacity	10			
26	Plastic can	3 Liter	10			
		5 Liter	10			
		10 Liter	10			
27	Plastic Bucket withlid	5 liter	10			
28	Brush	Reagent Bottle cleaning brush	20			
29	Test tube holder	Standard size	40			
30	Tongs	Standard size	40			
31	Boiling tube with cork	20 ml	40			
32	Reagent Bottles	100 ml	25			
		250 ml	25			
		500 ml	25			
		1000 ml	25			
33	Safety gloves	Standard size	100			
	-	TOTAL (C)				

(D) Chemistry Laboratory (Chemicals)

SI. No.	Name of the Experiment	Name of the Chemical	Units	Quantity	Rate	Total Price	Total Taxes	Grand Total with Taxes (in Figures)	Grand Total with Taxes (in words)
						(Figure:	s in Rupees)	· · · · · · · · · · · · · · · · · · ·	(III Words)
1	Estimation of	Silver Nitrate	grams	100					
	Chloride Ion	Sodium Chloride	grams	500					
		Potassium Chromate Indicator	grams	500					
2	EDTA Titration	EDTA	grams	500					
		Zinc Sulphate hexahydrate	grams	500					
		Ammonia	litre	5					

		Ammonium chloride	kg	1		
		Eriochrome Black -T Indicator	grams	100		
3	Akalinity	Conc.Hydrochloric acid	litre	5		
		Sodium Bicarbonate	grams	500		
		Sodium Carbonate	grams	500		
		Sodium Hydroxide	grams	500		
		Methyl orange Indicator	ml	100		
		Phenolphthalein Indicator	ml	100		
4	Estimation of D.O.	Sodium Thiosulphate	grams	500		
		Potassium Dichromate	grams	500		
		Potassium Iodide	kg	1		
		Conc . Sulphuric acid	litre	3		
		Manganese Sulphate	grams	500		
		Sodium Hydroxide	grams	500		
		Starch Indicator	grams	500		
5	Estimation of Phosphate	Ortho Phosphoric acid	litre	1		
		Sodium Hydroxide	grams	500		
		Methyl orange indicator	ml	100		
6	Conductometric	Hydrochloric acid	litre	1		
	Titrations	Sodium hydroxide	grams	500		
7	Estimation of	Ferrous Sulphate	grams	500		
	Ferrous Sulphate	Potassium	grams	500		

		Permanganate					
8	Determination of viscosity of a lubricating oil using Red wood viscometer	Coconut oil, Castor oil,	ml	250			
9	Estimation of	Hydrazine Sulphate	grams	500			
	Hydrazine	Potassium Iodate	grams	500			
		Starch	grams	500			
Ì		Conc. Hcl	litre	3			
10	Estimation of	Barium chloride	grams	500			
	Sulphate	Sodium Sulphate	grams	500			
	TOTAL (D)						

# **SUMMARY OF PRICE BID**

SI.	Dawtiaulara	Total Price	Total Taxes	Grand Total
No.	Particulars	Rs.	Rs.	Rs.
(A)	Physics Laboratory Equipment			
(B)	Chemistry Laboratory Equipment			
	Total Equipment	>		
(C)	Chemistry Laboratory (Glassware)			
(D)	Chemistry Laboratory (Consumables			
	Total Consumables	>		
(E)	Grand Total			

Signature of the Tenderer with Se	Signature	of the	Tenderer	with	Sea
-----------------------------------	-----------	--------	----------	------	-----

Date : Place :